

























- on Parallel and Distributed Platforms. *PVLDB* 9, 13 (Sept. 2016), 1317–1328.
- [23] JanusGraph - Distributed graph database. 2017. (2017). <http://janusgraph.org/>
- [24] Venelin Kotsev, Orri Erling, Atanas Kiryakov, Irini Fundulaki, and Vladimir Alexiev. 2017. The Semantic Publishing Benchmark v2.0. (2017). [github.com/ldbc/ldbc\\_spb\\_bm\\_2.0/blob/master/doc/LDBC\\_SPB\\_v2.0.docx](https://github.com/ldbc/ldbc_spb_bm_2.0/blob/master/doc/LDBC_SPB_v2.0.docx)
- [25] Alberto O. Mendelzon and Peter T. Wood. 1995. Finding Regular Simple Paths in Graph Databases. *SIAM J. Comput.* 24, 6 (1995), 1235–1258.
- [26] Microsoft Azure Cosmos DB. 2017. (2017). <https://docs.microsoft.com/en-us/azure/cosmos-db/introduction>
- [27] Neo4j. 2017. The Neo4j Developer Manual v3.3. (2017).
- [28] The openCypher implementer's group. 2017. Property Graph Model. (2017). <https://github.com/opencypher/openCypher/blob/master/docs/property-graph-model.adoc>
- [29] Oracle. 2017. Oracle Big Data Spatial and Graph. (2017). <http://www.oracle.com/technetwork/database/database-technologies/bigdata-spatialandgraph/>
- [30] Oracle. 2017. PGQL 1.1 Specification. (2017). <http://pgql-lang.org/spec/1.1/>
- [31] OrientDB - Multi-Model Database. 2017. (2017). <http://orientdb.com/>
- [32] Jorge Pérez, Marcelo Arenas, and Claudio Gutierrez. 2009. Semantics and complexity of SPARQL. *ACM Trans. Database Syst.* 34, 3 (2009), 16:1–16:45.
- [33] Stefan Plantikow, Martin Junghanns, Petra Selmer, and Max Kiefling. 2017. Cypher and Spark: Multiple Graphs and More in openCypher. (2017). <https://www.youtube.com/watch?v=EaCFxDxhtsI>
- [34] Eric Prud'hommeaux and Andy Seaborne. 2008. SPARQL Query Language for RDF - W3C Recommendation. <https://www.w3.org/TR/rdf-sparql-query/>. (2008).
- [35] Juan L. Reutter, Miguel Romero, and Moshe Y. Vardi. 2017. Regular Queries on Graph Databases. *Theory Comput. Syst.* 61, 1 (2017), 31–83.
- [36] Marko A. Rodriguez and Peter Neubauer. 2010. Constructions from Dots and Lines. *Bulletin of the American Society for Information Science and Technology* 36, 6 (Aug. 2010), 35–41.
- [37] Nicholas P Roth, Vasileios Trigonakis, Sungpack Hong, Hassan Chafi, Anthony Potter, Boris Motik, and Ian Horrocks. 2017. PGX.D/Async: A Scalable Distributed Graph Pattern Matching Engine. (2017).
- [38] Michael Rudolf, Marcus Paradies, Christof Bornhövd, and Wolfgang Lehner. 2013. The Graph Story of the SAP HANA Database.. In *BTW*, Vol. 13. 403–420.
- [39] Martin Sevenich, Sungpack Hong, Oskar van Rest, Zhe Wu, Jayanta Banerjee, and Hassan Chafi. 2016. Using domain-specific languages for analytic graph databases. *Proceedings of the VLDB Endowment* 9, 13 (2016), 1257–1268.
- [40] Sparksee - Scalable high-performance graph database. 2017. (2017). <http://www.sparsity-technologies.com/#sparksee>
- [41] Stardog - The Knowledge Graph Platform for the Enterprise. 2017. (2017). <http://www.stardog.com/>
- [42] TigerGraph - The First Native Parallel Graph. 2017. (2017). <https://www.tigergraph.com/>
- [43] Titan - Distributed Graph Database. 2017. (2017). <http://titan.thinkaurelius.com/>
- [44] Oskar van Rest, Sungpack Hong, Jinha Kim, Xuming Meng, and Hassan Chafi. 2016. PGQL: a property graph query language. In *GRADES2016*. ACM, 7.
- [45] Moshe Y. Vardi. 1982. The Complexity of Relational Query Languages (Extended Abstract). In *STOC*. 137–146.
- [46] Hannes Voigt. 2017. Declarative Multidimensional Graph Queries. Patrick Marcel and Esteban Zimányi (Eds.). *Business Intelligence – 6th European Summer School, eBISS 2016, Tours, France, July 3-8, 2016, Tutorial Lectures* 280, 1–37.
- [47] Peter T. Wood. 2012. Query languages for graph databases. *SIGMOD Record* 41, 1 (2012), 50–60.